

SINGLE STUFFER



YOUR FIRST STEP INTO AUTOMATED NETTING



Upgrade Your Line. Elevate Your Output



The change is simple, no new tubes, no new loader, just the SS500. The Scotnet manual range seamlessely integrates with the SS500.

Reduce Fatigue 🤞



Let precision engineering handle the hard work—streamline your operation, elevate performance, and focus your team where it matters most.

Quick Change Diameter



Handles net sizes from 80mm to 200mm with quick, tool-free changeovers. EH model available for larger products—up to 250mm in diameter.

Easy To Clean 🕅




Fully stainless steel design with quick-clean access built in-no tools or engineers required to prepare the machine for cleaning.

The Ultimate Single Stuffer – Designed for Precision & Performance

DS1200P7AC3 AUTOCUTTER WITH TABLE

HOIST AND PRESS PACKAGE INTEGRATION




Our team works closely with you to deliver fully integrated factory layouts tailored to your process, engineered for performance, and supported every step of the way to ensure a smooth, efficient installation.

Milestones


Total savings: £60,000 per year ROI achieved in under 6 months

STUFFING METHOD	OUTPUT	OPERATORS	SHIFTS	AVG WAGE COSTS	OPERATOR COST
MANUAL	1000 Units P/H	7	8 hrs x 5 Days	£30k pp	7 × 30k = £210,000
SS500	1000 Units P/H	5	8 hrs x 5 Days	£30k pp	5 × 30k = £150,000


Manual Stuffing




SS500



Dimensions



1585





Speed > 800 joints per hour.



Find us: in 🖸 🙆 😭 🕹



Pneumatic 80-102 PSI (5.5 - 7 BAR.) Consumption approx 1415 litres per minute.





For more information, including videos of the Single Stuffer in action, simply scan the QR code and follow the links!

T: +44 1355 237041 | E: info@scotnet.com | W: scotnet.com